

1/2" SOCKET WRENCHES



EGA Master offers a wide range of socket wrenches, both shallow and deep range series, together with a large number of additional and complementary items, such as adapters, hinged handles, extensions, ratchet wrenches, etc.

1/4", 3/8", 1/2", 3/4" and 1" square drive hand-operated sockets and 3/8", 1/2", 3/4", 1", 1.1/2", 2.1/2" and 3.1/2" square drive impact sockets wrenches, being the only in the sector offering such a wide range.

1. 6 and 12 edges both in mm and inches.

2. The sockets are made of chrome-vanadium steel, designed to withstand high tightening torques with minimal wear, providing the same greater durability.



3. A large number of additional and complementary items, such as adapters, hinged handles, extensions, ratchet wrenches, etc.


TECHNICAL SPECIFICATIONS

MATERIAL	Cr-V
MINIMUM HARDNESS	39 HRC.*


*Minimum hardness for socket wrenches and accessories except for reversible ratchet wrench 62606 for which it is 44 HRC and 57410, 57413 and 57416 for which it is 42-46 HRC.

SOCKET WRENCHES 1/2" STANDARD

- MM
- 6 PT. - 1/2"



- 12 PT. - 1/2"



COD.	AF $\frac{mm}{\pm}$	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*			
61800	8		13				75	48		
61801	9		14		13		95	48		
61802	10		15				147	49		
61803	11		17				178			
61804	12		18	22			212	50	25	
61805	13		19				249			
61806	14		20				288			
61807	15	38	22		14		331	55		
61808	16		24				377	60		
61809	17		24				425	65		20
61810	18		26	23			477	75		
61811	19		26	23		6	531			
61812	x	20	28	24	15		80	15		
61813		21	30				110			
61814		22	30	26	16		115	10		
61815		23	40	32			130			
61816		24	41	34	28	18	165	8		
61817		25	42	36	30		210			
61818		26	44	38	32	21	250	7		
61819		27	44	40	32	22	210			
61820		28	45	42	38	26	250	7		
61821		29	46	48	42	22	335			
61822		30	44	40	32	21	165	8		
61823		32	45	42	38	26	210			

COD.	AF $\frac{mm}{\pm}$	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*			
61380	8		13				75	48		
61381	9		14		13		95	48		
61382	10		15				147	49		
61383	11		17				178			
61384	12		18	22			212	50	25	
61385	13		19				249			
61386	14		20				288			
61387	15	38	22		14		331	55		
61388	16		24				377	60		
61389	17		24				425	65		20
61390	18		26	23			477	75		
61391	19		26	23			531			
61392	x	20	28	24	15	12	80	15		
61393		21	30				110			
61394		22	30	26	16		115	10		
61395		23	40	32			130			
61396		24	41	34	28	18	165	8		
61397		25	42	36	30		210			
61398		26	44	38	32	21	250	7		
61399		27	44	40	32	22	210			
61400		28	45	42	38	26	250	7		
61401		29	46	48	42	22	335			
61402		30	44	40	32	21	165	8		
61403		32	45	42	38	26	210			
59994		34	44	40	32	21	165	8		
59995		36	46	48	42	22	335			

| DIN 3124 N.m* Maximum torque


| DIN 3124 N.m* Maximum torque

x 50% aerospaceal chrome plating - 50% mirror polished chrome plating

SOCKET WRENCHES 1/2" STANDARD

■ INCH


■ 6 PT. - 1/2"



COD.	AP [±] inch F	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g		
60460	5/16		13		13		75	46		
60461	3/8		15				147	49		
60462	7/16		17				178	50		
60463	1/2		19				249		25	
60464	9/16		20	22			288	55		
60465	19/32		22		14		331			
60466	5/8	38					377			
60459	21/32		24				425	65		
60467	11/16		24				477	70	20	
60468	3/4		26	23		6	531	80		●
60469	25/32	x	28	24						
60470	13/16		28	25			85	15		
60471	7/8		30	25			95			
60472	15/16		32	26	18					
60473	31/32	40	33	28			125	10		
60474	1		34	28		569	135			
60475	1.1/16	42	36							
60476	1.1/8		38	32	19		185		8	
60477	1.3/16	44	40	22						
60478	1.1/4		42	34	23		210	7		

| DIN 3124 N.m* Maximum torque

■ 12 PT. - 1/2"



COD.	AP [±] inch F	L (mm)	A (mm)	B (mm)	C (mm)	Pt	N.m*	g		
60480	5/16		13		13		75	46		
60481	3/8		15				147	49		
60482	7/16		17				178	50		
60483	1/2		19				249		25	
60484	9/16		20	22			288	55		
60485	19/32		22		14		331			
60486	5/8	38					377			
60479	21/32		24				425	65		
60487	11/16		24				477	70	20	
60488	3/4		26	23		12	531	80		●
60489	25/32	x	28	24						
60490	13/16		28	25			85	15		
60491	7/8		30	25			95			
60492	15/16		32	26	18					
60493	31/32	40	33	28			125	10		
60494	1		34	28		569	135			
60495	1.1/16	42	36							
60496	1.1/8		38	32	19		185		8	
60497	1.3/16	44	40	22						
60498	1.1/4		42	34	23		210	7		


| DIN 3124 N.m* Maximum torque

x 50% aerospace chrome plating - 50% mirror polished chrome plating


SOCKET WRENCHES 1/2" LONG PATTERN

■ MM

■ 6 PT. - 1/2"



■ 12 PT. - 1/2"



COD.	AF mm	L (mm)	A (mm)	B (mm)	Pt	N.m*	g		
65044	10		16			147			
65045	11		17			178	110		
65046	12		18		22	212			
65047	13		19			249	115		
65048	14		21			288			
65049	15		22			331	125		
65050	16		22	26		377			
65051	17		24			425	130		
65052	18		26			477	150		
65053	x 19	75	26		6	531	165	10	●
65054	21		28			180			
65055	22		30			210			
65056	23		32			240			
65057	24		32	32		260			
67770	26		36			330			
67771	27		36			350	569		
67772	28		38			380			
67773	29		40			420			
67774	30		40			420			
67775	32		42			460			

○ I DIN 3124 N.m* Maximum torque


COD.	AF mm	L (mm)	A (mm)	B (mm)	Pt	N.m*	g		
67780	10		16			147	110		
67781	11		17			178			
67782	12		18		22	212			
67783	13		19			249	115		
67784	14		21			288			
67785	15		22			331	125		
67786	16		22	26		377			
67787	17		24			425	130		
67788	18		26			477	150		
67789	19		26			531	165		
59996	x 20	75	28		12	170	10	●	
67791	21		30			180			
67792	22		30			210			
67793	23		32			240			
67794	24		32	32		260			
59997	25		34			250	569		
67795	26		36			330			
67796	27		36			350			
67797	28		38			380			
67798	29		40			420			
67799	30		40			420			
67800	32		42			460			

○ I DIN 3124 N.m* Maximum torque


x 50% aerospace chrome plating - 50% mirror polished chrome plating

SOCKET WRENCHES 1/2" LONG PATTERN

- INCH
- 6 PT. - 1/2"



- 12 PT. - 1/2"



COD.	AF inch	L (mm)	A (mm)	B (mm)	Pt	N.m*	g		
65064	3/8		15			147	105		
65065	7/16		17	24		178	115		
65066	1/2		19	27		249			
65067	9/16		21			288	120		
65068	5/8		22			377			
65069	y 11/16	75	24		6	477	125	10	●
65070	3/4		26	34		531	150		
65071	13/16		27			170			
65072	7/8		30			569	210		
65073	15/16		32			250			


● | DIN 3124 N.m* Maximum torque

COD.	AF inch	L (mm)	A (mm)	B (mm)	Pt	N.m*	g		
67805	3/8		15			147	105		
67806	7/16		17	24		178	115		
67807	1/2		19	27		249			
67808	9/16		21			288	120		
67809	5/8		22			377			
67810	11/16		24			477	125		
67811	y 3/4	75	26		12	531	150	10	●
67812	13/16		27			170			
67813	7/8		30	34		210			
67814	15/16		32			250			
67815	1		34			569	280		
67816	1.1/16		36			330			
67817	1.1/8					370			
67818	1.1/4		38			455			

● | DIN 3124 N.m* Maximum torque

y 100% mirror polished chrome plating


SOCKET WRENCHES 1/2" TORX®*



COD.		L (mm)	A (mm)	B (mm)	C (mm)				
57179	E10	38	15	22	10	55	10	●	
57180	E11		17		11	57			
57181	E12		18		62				
57182	E14		20		67				
57183	E16		21		73				
57184	E18		24		80				
57185	E20		26		23	14			80
57186	E22		28		25	102			
57187	E24								



SOCKET WRENCHES 1/2" SPLINE




COD.					L (mm)	A (mm)	B (mm)	C (mm)			
55795	M12	10	-	-	38	15,5	22	14	47	10	●
55811	-	-	3/8	-		17		48			
55796	M14	11	7/16	E14	38	17	22	14	50	25	●
55797	M15	12	-	E16		18					
55798	M16	13	1/2	-		19					
55799	M18	14	9/16	E18		21					
55800	-	15	-	-		24					
55801	M20	16	5/8	E20		24		65			
55802	-	17	-	-		60		20			
55803	y M22	18	-	E22		26		23			
55804	M24	19	3/4	E24	26	23	60				
55805	M25	20	-	-	28	24	80	15			
55806	M26	21	13/16	-	30	26	17	70			
55807	M28	22	7/8	-	32	28	85	10			
55808	M30	24	15/16	-	32	28	19	95			
55833	-	-	1	-	40	34	28	115	8		
55809	M34	27	1.1/16	-	42	36	32	20	140		
55834	-	-	1.1/8	-	43	38	32	155			
55810	M38	30	1.3/16	-	44	40	35	22	180		



DIN 3120

y 100% mirror polished chrome plating
*For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)

SOCKET WRENCHES 1/2" SCREW EXTRACTOR FOR 50% ROUNDED OFF NUTS







COD.	AF (mm)	L (mm)	A (mm)	B (mm)	C (mm)	g		
55795	10		15,5			47		
55796	11		17			48		
55797	12		18					
55798	13		19					
55799	14		21	22	14	50	25	
55800	15							
55801	16	38	24			65		
55802	17					60		
55803	18	y	26	23		75	20	•
55804	19					60		
55805	20		28	24		80		
55806	21				17	70	15	
55807	22		30	26		85		
55808	24		32	28		95	10	
55809	27	42	36	32	20	140		
55810	30	44	40	35	22	180	8	



DIN 3120


EGA Master
ART IN INNOVATION





ADAPTER 1/2"

COD.				
65885	1/2-3/8	50	6	•
65882	1/2-3/4	125		






BALL RETAINER ADAPTER 1/2"



COD.		L (mm)	A (mm)	B (mm)	C (mm)			
66388	1/2"-1/4"	38	11	22	15	45	6	•









ADAPTER BIT FOR IMPACT SOCKETS 1/2"

COD.		L (mm)		
61697	1/2"-1/4"	70	46	6



SPARK PLUG SOCKETS 1/2"



COD.			L (mm)	A (mm)	B (mm)	H (mm)			
61462	1/2	16	65	22	22	14	100	6	•
61463		21		28	24	16	150		






SWIVEL HANDLE 1/2"

COD.		L (mm)		
61441	1/2	390	0 - 180°	650



QUICK RELEASE SWIVEL HANDLE 1/2"

COD.		L (mm)		
61483	1/2	430	900	5



TELESCOPIC SWIVEL HANDLE 1/2"

COD.	AF inch	L min. (mm)	L max. (mm)	g	
61484	1/2	430	650	1150	5



EXTENSION 1/2"

COD.	AF inch	L (inch)	g		
61453	1/2	3	135	5	•
61455		5	220		
61458		10	370		
61464		15	590		
61472		20	740		



DIN 3123

FLEXIBLE HANDLE 1/2"

COD.	AF inch	L (inch)	g	
62119	1/2	8	300	5




DIN 3122

WOBBLE DRIVE EXTENSION 1/2"

COD.	AF inch	L (inch)	g	
59104	1/2	2	90	5
59105		5	220	
59106		10	420	



SPEEDER HANDLE 1/2"



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	g	
61434	1/2	410	130	145	95	550	5



DIN 3122


REVERSIBLE RATCHET HANDLE 1/2"




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	g		
61430	1/2	230	39	31	45	550	6	•



DIN 3122





REVERSIBLE RATCHET HANDLE 1/2"




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g	Icon 1	Icon 2
62606	1/2	250	42	36	37	28	560	6	●

DIN 3122




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g	Icon 1	Icon 2
61168	1/2	280	45	40	25	25	540	6	●




COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g	Icon 1	Icon 2
57410	1/2	310	40	36	72	28	750	6	●

DIN 3122



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g	Icon 1	Icon 2
57413	1/2	450	37	36	38	28	880	6	●

DIN 3122



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g	Icon 1	Icon 2
57416	1/2	380	42	36	38	28	710	6	●

DIN 3122



SLIDING T-HANDLE 1/2"

COD.	AF inch	L (mm)	g		
61440	1/2	250	160	5	•

DIN 3122



UNIVERSAL JOINT 1/2"

COD.	AF inch	g		
61437	1/2	140	10	•

DIN 3123



EXTENSION 1/2"

COD.	AF inch	L (inch)	g		
62732	3/8	2	50	5	•
61459		3	65		
61447		6	120		
61449		8	175		
61450		10	240		
59095		14	340		
59096		24	600		
59097		36	850		

DIN 3123



FLAT ADAPTER 1/2"

COD.	IN (inch)	OUT (inch)	L (mm)	Ø 1 (mm)	g
59123	1/2	3/4	22	44	60






EGAMaster
ART IN INNOVATION

KITS - SETS 1/2"




11 PCS.- 1/2"

COD.		PCS.			
58714	1/2	11	LONG PATTERN	51053	2,5




PCS.	Composition	Description			
9	67805, 67806, 67807, 67808, 67809, 67810, 67811, 67812, 67813	Long pattern socket wrenches	3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"		-
1	62606	Ratchet	-		
	61455	Extension	5"		






COD.		PCS.			
58720	1/2	11	STANDARD PATTERN	51079	1,8

PCS.	Composition	Description			
9	57179, 57180, 57181, 57182, 57183, 57184, 57185, 57186, 57187	Torx® socket wrenches	E10-E11-E12-E14-E16-E18-E20-E22-E24		-
1	62606	Ratchet	-		
	61455	Extension	5"		




12 PCS.- 1/2"




COD.		PCS.			
58711	1/2	12	STANDARD PATTERN	51079	1,7




PCS.	Composition	Description			
10	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61391, 61394	Socket wrenches	10-11-12-13-14-15-17-19-22 mm		-
1	62606	Ratchet	-		
	61455	Extension	5"		



COD.		PCS.			
58713	1/2	12	LONG PATTERN	51053	2,6

PCS.	Composition	Description			
10	67780, 67781, 67782, 67783, 67784, 67785, 67786, 67787, 67789, 67792	Long pattern socket wrenches	10-11-12-13-14-15-16-17-19-22 mm		-
1	62606	Ratchet	-		
	61455	Extension	5"		





COD.		PCS.			
58712	1/2	12	STANDARD PATTERN	51079	1,8

PCS.	Composition	Description			
10	60481, 60482, 60483, 60484, 60485, 60486, 60487, 60488, 60490, 60491	Socket wrenches	3/8" - 7/16" - 1/2" - 9/16" - 19/32" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8"		-
1	62606	Ratchet	-		
	61455	Extension	5"		

KITS - SETS 1/2"



16 PCS.- 1/2"



COD.		PCS.			
58723	1/2	16	STANDARD AND CROWFOOT PATTERN	51053	2,8


PCS.	Composition	Description		
8	60487, 60488, 60489, 60490, 60491, 60492, 60495, 60497	Socket wrenches	11/16"-3/4"-25/32"-13/16"-7/8"-15/16"-1.1/16"-1.3/16"	
4	57251, 57253, 57255, 57257	Open-end Crowfoot wrenches	15/16"-1.1/16"-1.3/16"-1.5/16"	
1	62606	Ratchet	-	
2	61453, 61458	Extension	3"-10"	
1	61437	Universal joint	-	







17 PCS.- 1/2"



COD.		PCS.		
61796	1/2	17	STANDARD PATTERN	2,0



PCS.	Composition	Description		
16	61802, 61803, 61804, 61805, 61806, 61807, 61808, 61809, 61810, 61811, 61812, 61814, 61816, 61819, 61822, 61823	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-22-24-27-30-32 mm	
1	62606	Ratchet	-	






COD.		PCS.		
61798	1/2	17	STANDARD PATTERN	2,0

PCS.	Composition	Description		
16	60460, 60461, 60462, 60463, 60464, 60466, 60467, 60468, 60470, 60471, 60472, 60474, 60475, 60476, 60477, 60478	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	
1	62606	Ratchet	-	

COD.		PCS.		
61797	1/2	17	STANDARD PATTERN	2,0

PCS.	Composition	Description		
16	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61392, 61394, 61396, 61399, 61402, 61403	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-22-24-27-30-32 mm	
1	62606	Ratchet	-	





COD.		PCS.		
61799	1/2	17	STANDARD PATTERN	2,0

PCS.	Composition	Description		
16	60480, 60481, 60482, 60483, 60484, 60486, 60487, 60488, 60490, 60491, 60492, 60494, 60495, 60496, 60497, 60498	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.8/8"-1.3/16"-1.1/4"	
1	62606	Ratchet	-	

KITS - SETS 1/2"





18 PCS.- 1/2"

COD.		PCS.			
58722	1/2	18	STANDARD AND CROWFOOT PATTERN	51053	4,0

PCS.	Composition	Description		
9	61389, 61390, 61391, 61392, 61393, 61394, 61395, 61399, 61402	Socket wrenches	17-18-19-20-21-22-22-23-27-27-30 mm	
5	57226, 57228, 57231, 57234, 57236	Open-end Crowfoot wrenches	22-24-27-30-32 mm	
1	62606	Ratchet	-	
2	61453, 61458	Extension	3"-10"	
1	61437	Universal joint	-	








COD.		PCS.			
58715	1/2	18	STANDARD PATTERN	51053	3,3

PCS.	Composition	Description		
14	60460, 60461, 60462, 60463, 60464, 60465, 60466, 60459, 60467, 60468, 60469, 60470, 60471, 60472	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-19/32"-5/8"-21/32"-11/16"-3/4"-25/32"-13/16"-7/8"-15/16"	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61437	Universal joint	-	

19 PCS.- 1/2"





COD.		PCS.			
55668	1/2	19	STANDARD PATTERN	51071	3,5

PCS.	Composition	Description		
14	55795, 55796, 55797, 55798, 55799, 55801, 55803, 55804, 55805, 55806, 55807, 55808, 55809, 55810	Spline	M12, M14, M15, M16, M18, M20, M22, M24, M25, M26, M28, M30, M34, M38	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61440	Sliding T-handle	-	
1	61437	Universal joint	-	




20 PCS.- 1/2"





COD.		PCS.			
55599	1/2	20	STANDARD PATTERN	51053	3,5

PCS.	Composition	Description		
16	61800, 61801, 61802, 61803, 61804, 61805, 61806, 61807, 61808, 61809, 61810, 61811, 61813, 61814, 61815, 61816	Socket wrenches	8-9-10-11-12-13-14-15-16-17-18-19-21-22-23-24 mm	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61437	Universal joint	-	








KITS - SETS 1/2"

COD.		PCS.			
55600	1/2	20	STANDARD PATTERN	51079	3,0

PCS.	Composition	Description		
16	61380, 61381, 61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61393, 61394, 61395, 61396	Socket wrenches	8-9-10-11-12-13-14-15-16-17-18-19-21-22-23-24 mm	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61437	Universal joint	-	











COD.		PCS.			
55601	1/2	21	STANDARD PATTERN	51053	4,0

PCS.	Composition	Description		
16	61802, 61803, 61804, 61805, 61806, 61807, 61808, 61809, 61810, 61811, 61813, 61814, 61816, 61819, 61822, 61823	Socket wrenches	10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61440	Sliding T-handle	-	
1	61437	Universal joint	-	



25 PCS.- 1/2"






COD.		PCS.			
61960	1/2	25	STANDARD PATTERN	51053	4,5

PCS.	Composition	Description		
20	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61392, 61393, 61394, 61395, 61396, 61398, 61399, 61400, 61402, 61403	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61440	Sliding T-handle	-	
1	61437	Universal joint	-	










COD.		PCS.			
61963	1/2	25	STANDARD PATTERN	51053	4,5

KITS - SETS 1/2"

PCS.	Composition	Description		
20	60480, 60481, 60482, 60483, 60484, 60485, 60486, 60479, 60487, 60488, 60489, 60490, 60491, 60492, 60493, 60494, 60495, 60496, 60497, 60498	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-19/32"-5/8"-21/32"-11/16"-3/4"-25/32"-13/16"-7/8"-15/16"-31/32"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
1	61440	Sliding T-handle	-	
	61437	Universal joint	-	

25 PCS.- 1/2"







COD.		PCS.			
55602	1/2	25	STANDARD PATTERN	51053	4,0

PCS.	Composition	Description		
21	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61392, 61393, 61394, 61395, 61396, 61397, 61398, 61399, 61400, 61402, 61403	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm	
1	62606	Ratchet	-	
	61455	Extension	5"	
	61440	Sliding T-handle	-	
	61437	Universal joint	-	





26 PCS.- 1/2"







COD.		PCS.			
58716	1/2	26	STANDARD PATTERN	50974	5,0

PCS.	Composition	Description		
20	60460, 60461, 60462, 60463, 60464, 60465, 60466, 60459, 60467, 60468, 60469, 60470, 60471, 60472, 60473, 60474, 60475, 60476, 60477, 60478	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-19/32"-5/8"-21/32"-11/16"-3/4"-25/32"-13/16"-7/8"-15/16"-31/32"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
	61440	Sliding T-handle	-	
1	61437	Universal joint	-	
	61434	Speeder handle	-	






28 PCS.- 1/2"







COD.		PCS.			
55597	1/2	28	STANDARD PATTERN	50974	6,0

PCS.	Composition	Description		
22	61800, 61801, 61802, 61803, 61804, 61805, 61806, 61807, 61808, 61809, 61810, 61811, 61813, 61814, 61815, 61816, 61818, 61819, 61820, 61821, 61822, 61823	Socket wrenches	8-9-10-11-12-13-14-15-16-17-18-19-21-22-23-24-26-27-28-29-30-32 mm	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
	61440	Sliding T-handle	-	
1	61437	Universal joint	-	
	61434	Speeder handle	-	




KITS - SETS 1/2"







COD.		PCS.			
55598	1/2	28	STANDARD PATTERN	50974	6,0

PCS.	Composition	Description		
22	61380, 61381, 61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61393, 61394, 61395, 61396, 61398, 61399, 61400, 61401, 61402, 61403	Socket wrenches	8-9-10-11-12-13-14-15-16-17-18-19-21-22-23-24-26-27-28-29-30-32 mm	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
	61440	Sliding T-handle		
1	61437	Universal joint	-	
	61434	Speeder handle		






30 PCS.- 1/2"







COD.		PCS.		
58721	1/2	30	STANDARD PATTERN	5,0

PCS.	Composition	Description		
1	62606	Ratchet	-	
	61455	Extension	5"	
10	66807, 66808, 66809, 66810, 66811, 66812, 66813, 55706, 66814, 55708	Hex bit socket	4-5-6-7-8-10-12-13-14-17 mm	
	55704, 55705, 55707		7/32"-3/8"-3/4"	
3	66801, 66802, 66803	Flat bit socket	8 x 1,2 - 10 x 1,6 - 12 x 2	
	66804, 66805, 66806	Phillips® bit socket	PH2-PH3-PH4	
9	66830, 66831, 66832, 66833, 66834, 66835, 66836, 66837, 56895	Torx® bit socket	T20-T25-T27-T30-T40-T45-T50-T55-T60	



35 PCS.- 1/2"


COD.		PCS.			
55603	1/2	35	STANDARD PATTERN	50974	6,0








PCS.	Composition	Description		
11	61802, 61803, 61805, 61806, 61809, 61811, 61814, 61816, 61819, 61822, 61823	Socket wrenches	10-11-13-14-17-19-22-24-27-30-32 mm	
19	60460, 60461, 60459, 60462, 60463, 60464, 60465, 60466, 60467, 60468, 60469, 60470, 60471, 60472, 60474, 60475, 60476, 60477, 60478	Socket wrenches	5/16"-3/8"-7/16"-1/2"-9/16"-19/32"-5/8"-21/32"-11/16"-3/4"-25/32"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"	
1	62606	Ratchet	-	
2	61455, 61458	Extension	5"-10"	
	61437	Universal joint		
1	61434	Speeder handle		



KITS - SETS 1/2"




41 PCS.- 1/2"







COD.		PCS.			
61793	1/2	41	STANDARD PATTERN	50974	5,5

PCS.	Composition	Description			
18	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61392, 61393, 61394, 61395, 61396, 61399, 61402, 61403	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm		-
15	60481, 60482, 60483, 60484, 60486, 60487, 60488, 60490, 60491, 60492, 60494, 60495, 60496, 60497, 60498		3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"		
1	62606	Ratchet	-		
2	61455, 61458	Extension	5"-10"		
	61440	Sliding T-handle			
1	61437	Universal joint	-		
	61441	Swivel handle			
2	61462, 61463	Spark plug sockets	16 mm-21 mm		












33 PCS.- 1/2"

COD.		PCS.			
65074	1/2	33	STANDARD AND LONG PATTERN	50974	6,0

PCS.	Composition	Description			
15	61382, 61383, 61384, 61385, 61386, 61387, 61388, 61389, 61390, 61391, 61392, 61393, 61394, 61395, 61396	Socket wrenches	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm		-
10	67780, 67781, 67782, 67783, 67784, 67785, 67786, 67787, 67788, 67789	Long pattern socket wrenches	10-11-12-13-14-15-16-17-18-19 mm		
1	62606	Ratchet	-		
3	61453, 61455, 61458	Extension	3"-5"-10"		
	61441	Swivel handle			
1	61437	Universal joint	-		
2	61462, 61463	Spark plug sockets	16 mm-21 mm		










COD.		PCS.			
65075	1/2	33	STANDARD AND LONG PATTERN	50974	7,0

PCS.	Composition	Description			
15	60481, 60482, 60483, 60484, 60486, 60487, 60488, 60490, 60491, 60492, 60494, 60495, 60496, 60497, 60498	Socket wrenches	3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"		-
10	67805, 67806, 67807, 67808, 67809, 67810, 67811, 67812, 67813, 67814	Long pattern socket wrenches	3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"		
1	62606	Ratchet	-		
3	61453, 61455, 61458	Extension	3"-5"-10"		
	61441	Swivel handle			
1	61437	Universal joint	-		
2	61462, 61463	Spark plug sockets	5/8"-13/16"		

KITS - SETS 1/2"






1/2" - 3/4"

7 PCS.- 1/2" - 3/4"







COD.		PCS.		
58710	1/2 - 3/4	7	STANDARD PATTERN	1,6
PCS.	Composition	Description		
1	62606	1/2" Ratchet	-	
	61440	1/2" T-handle	-	
	65882	Adaptor	1/2" - 3/4"	
	53170	3/4" Hex bit socket	22 mm	
2	66814, 55708	1/2" Hex bit socket	11, 17 mm	
1	55696		3/4"	








18 PCS.- 1/4" - 1/2"

COD.		PCS.		
58726	1/2, 1/4	18	STANDARD PATTERN	2,5
PCS.	Composition	Description		
7	61385, 61386, 61387, 61388, 61389, 61391, 61394	1/2" Socket wrenches	13-14-15-16-17-19-22 mm	
1	62606	1/2" Ratchet	-	
	61455	1/2" Extension	5"	
7	61311, 63974, 63977, 63979, 63980, 63981, 63983	1/4" Socket wrenches	4-4,5-5-6-7-8-10 mm	-
1	62603	1/4" Ratchet	-	
	61454	1/4" Extension	3"	



COD.		PCS.		
58727	1/2, 1/4	19	STANDARD PATTERN	3,0
PCS.	Composition	Description		
7	60483, 60484, 60485, 60486, 60487, 60488, 60491	1/2" Socket wrenches	1/2"-9/16"-19/32"-5/8"-11/16"-3/4"-7/8"	
1	62606	1/2" Ratchet	-	
2	61453, 61458	1/2" Extension	3"-10"	
1	61437	1/2" Universal joint	-	
7	60420, 60421, 63991, 63992, 63993, 63995, 63996	1/4" Socket wrenches	5/32"-3/16"-1/4"-9/32"-5/16"-3/8"-7/16"	-
1	62603	1/4" Ratchet	-	



COD.		PCS.		
58728	1/2, 1/4	19	LONG PATTERN	3,7
PCS.	Composition	Description		
7	67783, 67784, 67785, 67786, 67787, 67789, 67792	1/2" Long pattern socket wrenches	13-14-15-16-17-19-22 mm	
1	62606	1/2" Ratchet	-	
2	61453, 61458	1/2" Extension	3"-10"	
1	61437	1/2" Universal joint	-	
7	67640, 67641, 67660, 67662, 67663, 67664, 67666	1/4" Long pattern socket wrenches	4-4,5-5-6-7-7,8-10 mm	-
1	62603	1/4" Ratchet	-	