


BOX JOINT AND GROOVE JOINT PLIERS



EGA Master manufactures a wide range of groove joint and box joint pliers, among which the most remarkable are **AUTO GRIP** pliers. They are extensible multi-position pliers with a fast adjusting system, designed for most demanding professionals.



Up to 16 positions!




1. Includes a **self-adjustment gripping system** for easy, safe and quick adjustment to pipe size.

2. The teeth, heat treated, provide **adequate wear resistance and a firm grip** on all surfaces.

3. **Non-slip** plastic handles ensure a good grip and prevent unwanted slipping.

4. Fast opening **up to 1.1/2"** in box joint pliers.




Multi-position

AUTO GRIP BOX JOINT PLIERS



DIN 8976

Up to 16 positions!
With spring effect!



COD	L	A	B	C	D	Weight	Teeth	Pin
62706	7"	24	30	47	6	200		
62707	10"	30	39	59	7,5	350	6	1
62708	12"	36	46	71	8	550		

Cr-V


TECHNICAL SPECIFICATIONS

MATERIAL	Chrome-Vanadium (Cr-V)	
HARDNESS	General	43-48 HRc
	Teeth	42-50 HRc
	Pin	28-50 HRc
FINISH	Painted in black	
	Handles	Anti-slip RAL 2002 red colour

BOX JOINT **TITACROM®** **BIMAT**



DIN 8976



COD	L	A	B	C	D	Weight	Teeth	Pin
62297	10"	32	36	34	7,0	400		
62298	12"	43	46	46	8,0	610	6	6

TECHNICAL SPECIFICATIONS


MATERIAL	Chrome-Vanadium (Cr-V)	
HARDNESS	Handles	Bimaterial
	General	40-48 HRc
	Teeth	42-50 HRc
FINISH	Pin	28-50 HRc
	TITACROM®	

BOX JOINT

TITACROM®



DIN 8976



COD	L	A	B	C	D			
62294	10"	32	36	34	7,0	400	6	6
62295	12"	43	46	46	8,0	610		

TECHNICAL SPECIFICATIONS


MATERIAL	Chrome-Vanadium (Cr-V)	
HARDNESS	General	43-48 HRc
	Teeth	42-50 HRc
	Pin	28-55 HRc
FINISH	TITACROM®	
	Handles	Anti-slip RAL 2002 red colour

BOX JOINT

TITACROM®



DIN 8976



COD	L	A	B	C	D			
62291	10"	32	36	34	7,0	400	12	5
62292	12"	43	46	46	8,0	600	6	


TECHNICAL SPECIFICATIONS

MATERIAL	Chrome-Vanadium (Cr-V)	
HARDNESS	General	40-48 HRc
	Teeth	42-50 HRc
	Pin	28-50 HRc
FINISH	TITACROM®	

BOX JOINT



DIN 8976



COD	L	A	B	C	D	Weight	Teeth	Pin
62133	7"	28	28	25	7,0	165	12	6
62135	10"	32	36	34	7,0	400	12	6
62134	12"	43	46	46	8,0	600	6	6


TECHNICAL SPECIFICATIONS

MATERIAL	Chrome-Vanadium (Cr-V)	
HARDNESS	General	43-48 HRc
	Teeth	42-50 HRc
	Pin	28-54 HRc
FINISH	Painted in epoxy powder red color ral-2002 semi-texturized	

BOX JOINT



DIN 8976



COD	L	A	B	C	D	Weight	Teeth	Pin
62127	7"	28	28	25	7,0	165	12	6
62128	10"	32	36	34	7,0	350	12	6
62129	12"	43	46	46	8,0	500	6	6


TECHNICAL SPECIFICATIONS

MATERIAL	Chrome-Vanadium (Cr-V)	
HARDNESS	General	43-48 HRc
	Teeth	42-50 HRc
	Pin	28-50 HRc
FINISH	Painted in epoxy powder red color ral-2002 semi-texturized	
	Handles	Black soft foam grip

NEAT TIPS



DIN 8976




COD	L	A	B	C	D			
62793	7"	27	27	25	7,0	150	12	6
62794	10"	32	33	32		300		
62795	12"	40	35	43	9,0	400	6	

TECHNICAL SPECIFICATIONS

MATERIAL	Chrome-Vanadium (Cr-V)	
HARDNESS	General	43-48 HRc
	Teeth	42-55 HRc
	Pin	28-54 HRc
FINISH	Painted in epoxy powder red color ral-2002 semi-texturized	

NEAT TIPS WITH HANDLE



COD	L	A	B	C	D			
68555	7"	27,5	27	27	5	190		
68556	10"	32	33	36	7	380	6	1
68557	12"	43	35,5	39	9	610		

TECHNICAL SPECIFICATIONS


MATERIAL	Chrome-Vanadium (Cr-V)	
HARDNESS	General	43-48 HRC
	Teeth	42-55 HRC
	Pin	28-54 HRC
FINISH	Painted in epoxy powder red color ral-2002 semi-texturized	
	Handles	Black soft foam grip

AUTO GRIP GROOVE JOINT TITACROM®



DIN 8976

**Up to 18 positions
Fast opening up to 2”!**



COD	L	A	B	C	D	Weight	Accessories	Accessories
62411	8"	30	37	31	10	300		
62412	10"	37	41	47	12	450	6	6
62413	12"	48	48	49	13	650		

Cr-V

TITACROM® Is a special surface treatment, rust-proof and anti-chipping off. It is non-reflecting and with very attractive finishing.


TECHNICAL SPECIFICATIONS

MATERIAL	Special Steel	
HARDNESS	General	44-50 HRc
FINISH	TITACROM®	
	Handles	Anti-slip RAL 2002 red colour

GROOVE JOINT TITACROM® BMAT



DIN 8976



COD	L	A	B	C	D	Weight	Accessories	Accessories
62445	8"	30	36	30	9,0	300		
62446	10"	34	40	36	10	460	5	5
62447	12"	43	48	48	11	700		

TECHNICAL SPECIFICATIONS


MATERIAL	Special Steel	
	Handles	Bimaterial
HARDNESS	General	45-50 HRc
	Screw	28-50 HRc
FINISH	TITACROM®	

GROOVE JOINT

TITACROM®



DIN 8976



COD	L	A	B	C	D			
62105	8"	30	36	30	9,0	240		
62106	10"	34	40	36	10	390	6	6
62107	12"	43	48	48	11	600		
62108	16"	70	60	85	12	1300		-

TECHNICAL SPECIFICATIONS

MATERIAL	Special Steel	
HARDNESS	General	45-50 HRc
	Screw	28-50 HRc
FINISH	TITACROM®	
	Handles	Anti-slip RAL 2002 red colour

