

GRIP PLIERS

EGA Master manufactures a wide range of grip pliers, designed for meeting the needs of professionals in the maintenance, welding, automotive...



1. Round head rivet for the union of mouth to body, thus ensuring a superior resistance.

2. The integral knurling of the body improves the grip in conditions of little traction (gloves, oil, dirt...)

3. Unblocking resort for an ergonomic, intuitive and simple aperture.


4. Teeth with improved finish and sharpening for higher grip.

5. 4 positions, allowing the tightening of different shapes and sizes tools with the same plier.


6. Tightening regulation with only one hand thanks to the upper wheel nut.

7. The shining chrome finish protects the steel of outside harms, and provides a better appearance.

4 POSITIONS!



MULTIPOSITION LARGE CAPACITY GRIP PLIER



COD.	L (inch)	A (mm)	B (mm)	Max. (daN) *			
62096	10	18	80	310	760	8	●


*: Maximum pressure (daN)



TECHNICAL SPECIFICATION

Material	High resistance steel
Jaws hardness	55-56HRC
Finishing	Shining Chrome

MULTIPOSITION LARGE CAPACITY GRIP PLIER



COD.	L (inch)	A (mm)	B (mm)	Max. (kg) *			
62097	10	18	100	1135	650	8	●


*: Maximum pressure (kg)



TECHNICAL SPECIFICATION

Material	Cr-V	
Hardness	Jaws: 45-50HRC	Handles: 35-45HRC
Finishing	Aerospatial chrome plating	

GRIP PLIER WITH WIRE CUTTER




COD.	L (inch)	A (mm)	B (mm)	Jaw	Max. (kg) *			
62179	4	7,0	25	Curved	363	100	6	●
62177	5	8,0	35		408	160		
62178	7	13	42		1135	360		
62172	10	14	65		1135	550		

*: Maximum pressure (kg)



CURVED JAW GRIP PLIER WITHOUT WIRE CUTTER




COD.	L (inch)	A (mm)	B (mm)	Jaw	Max. (kg) *			
62260	7	9,0	42	Curved	1135	350	6	●
62261	9	11	52		500			

*: Maximum pressure (kg)



STRAIGHT JAW GRIP PLIER




COD.	L (inch)	A (mm)	B (mm)	Jaw	Max. (kg) *			
62414	7	14	45	Straight	1135	350	6	●
62231	10	16	60		500			

*: Maximum pressure (kg)



LONG NOSE JAWS



COD.	L (inch)	A (mm)	B (mm)	Max. (kg) *			
62485	6,5	8,0	60	204	185	6	●
62486	8,5	10	75	408	360		


*: Maximum pressure (kg)



TECHNICAL SPECIFICATION

Material	Cr-V	
Hardness	Jaws: 50-55HRC	
Finishing	TITACROM®	

SHEET METAL GRIP PLIER



COD.	L (inch)	A (mm)	B (mm)	C (mm)	Max. (kg) *			
62487	8	80	42	17	454	490	4	●

*: Maximum pressure (kg)



TECHNICAL SPECIFICATION

Material	Special steel
Hardness	Jaws: 35-40HRC
Finishing	TITACROM®

WELDING GRIP PLIER



COD.	L (inch)	A (mm)	B (mm)	Max. (kg) *			
62508	9	70	26	227	600	2	●
62509	11	75	35		800		


*: Maximum pressure (kg)



TECHNICAL SPECIFICATION

Material	Special steel
Hardness	Jaws: 40-45HRC
Finishing	TITACROM®

“C” CLAMPS GRIP PLIER




COD.	L (inch)	A (mm)	B (mm)	C (mm)	D (mm)	Max. (kg) *			
62492	11	75	100	7,0	50	408	750	6	●

*: Maximum pressure (kg)



“C” CLAMPS SWIVEL PADS GRIP PLIER



COD.	L (inch)	A (mm)	B (mm)	C (mm)	D (mm)	Max. (kg) *			
62489	7	55	55	5,0	15	227	270	6	●
62490	11	70	95	6,0	45	408	800		
62491	18	250	100	12	120	1135	1450		

*: Maximum pressure (kg)






TECHNICAL SPECIFICATION

Material	Special steel
Hardness	Jaws: 50-55HRC
Finishing	TITACROM®

GRIP PLIER WITH CHAIN



COD.	L (inch)	A (mm)	B (mm)	C (mm)	 L (inch)	 g	
62174	9	150	13	7,0	20	750	1
62601		215			27.1/2	850	



TECHNICAL SPECIFICATION

Material	Body	Cr-V
	Chain	Special steel
Finishing	Body	TITACROM®
	Chain	Negro

DISPLAYS

■ **25 PCS.**

COD.	PCS.
55572	25
PCS./UN.	COD. PCS.
25	62097
	10"



■ **30 PCS.**

COD.	PCS.	
55573	30	
PCS./UN.	COD. PCS.	
6	62260	7"
	62261	9"
	62231	10"
	62178	7"
	62172	10"



■ **22 PCS.**

COD.	PCS.	
55574	22	
PCS./UN.	COD. PCS.	
6	62177	5"
	62485	6,5"
	62486	8,5"
	62487	8"
2	62508	9"

