

MASTERTORK SCREWDRIVERS



EGA Master offers a wide range of screwdrivers for professional use, among which you can find "Mastertork" and "Rotork" screwdrivers models. The "Mastertork" screwdriver type made in chromium-molybdenum-vanadium steel.



both in mm
and inches



Magnetic tip

1. Oversized ergonomic, anti-slippery, bi-material (TPR + PP) handles offer optimal grip for avoiding slippage.

A. TPR-BLACK MATT COLOR
Antislippery material
B. PP-ORANGE, RED RAL 2002 & YELLOW COLOR
To provide consistency



2. Its exclusive chrome-molybdenum-vanadium alloy enables 30% higher tightening torque than traditional screwdrivers.

3. The innovative "non-slip" anti-slippery and magnetic tip system allows an easier and safer positioning of the screwdriver,



4. Type and size double marking of easy and efficient identification of the screwdriver to be used.



5. Model equipped with hexagonal bar for strong tightening with wrenches.



6. Go-through hole in the handle enables tommy bar using.



TECHNICAL SPECIFICATIONS

MATERIAL	Bar	CR-Mo-V Alloy
	Handle	TPR- Black matt color PP- Orange, red RAL 2002 & yellow color
HARDNESS	Bar	52-56 HRC.

EGA

SLOTTED SCREWDRIVER TORQUE POWER TESTING TOOL

COD.	L (mm)
64766	140




SLOTTED

MM

COD.	A (mm)	B (mm)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66400	3	0,5	3		165	80				
66399	3,5	0,6	3,5	26	185		85	16		
66401	4	0,8	4			100				
66402	5,5	1	5	34	205		105	8		
66403					230	125				
66404	6,5		6	36	240		115			
66405		1,2			265	150				
66406	8		7		280					
66407										
66448	9,5				330	200		6		
66408	10	1,6	8	40			130			
66409	12	2								
66449	13		10		380	250				
66410	14	2,5								



DIN ISO 2380 Registered model




INCH

COD.	A (inch)	B (inch)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (inch)	L2 (mm)			
55330	1/8	0,02	3		165	3				
55331	5/32	0,032	4	26	185		85	16		
55328	3/16					4				
55332	7/32	0,04	5	34	205		105	8		
55333					230	5				
55334	1/4		6	36	240		115			
55335		0,046			265	6				
55336	5/16		7		280					
55337										
55338	3/8				330	8		6		
55339	25/64	0,063	8	40			130			
55329	7/16									
55340	15/32	0,08	10		380	10				
55341	1/2	0,098								



DIN ISO 2380 Registered model



NON-SLIP antislippery magnetic tip

EGA


MM

COD.	A (mm)	B (mm)	HEX 1 (mm)	HEX 2 (mm)	Ø 1 (mm)	L (mm)	L1 (mm)	L2 (mm)		
66413	4	0,8	4	-	26	185	100	85	16	
66414	5,5	1	5	-	34	230	125	105	8	
66415	6,5	1,2	6	-	36	240		115		•
66416	8		8	11		280	150			
66417	10	1,6			40	330	200	130	6	
66418	12	2				380	250			-
66419	14	2,5	10	16						

 DIN ISO 2380 Registered model

FEATURES

Hexagonal




INCH

COD.	A (inch)	B (inch)	HEX 1 (mm)	HEX 2 (mm)	Ø 1 (mm)	L (mm)	L1 (inch)	L2 (mm)		
55344	5/32	0,032	4	-	26	185	4	85	16	
55345	7/32	0,04	5	-	34	230		105	8	
55346	1/4	0,046	6	-	36	240	5	115		•
55347	5/16		8	11		280	6			
55348	25/64	0,063			40	330	8	130	6	
55349	15/32	0,08	10	16		380	10			-

 DIN ISO 2380 Registered model

FEATURES

Hexagonal




ELECTRICIAN

MM

COD.	A (mm)	B (mm)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66420	2,5	0,4	2,5		160	75				
66421					145	60				
66422	3	0,5	3	26	185	100	85	16	•	•
67226					285	200				
66428	3,5	0,6	3,5		185	100				
66423					230	125				
66424	4	0,8	4		255	150			•	•
66411				34	405	300	105	8		
66425					255	150				•
66412	5,5	1	5,5		405	300				
66426					265	150				
67259	6,5	1,2	6,5	36	315	200	115	6		-
66427	8		8	40	305	175	130			

 DIN ISO 2380 Registered model




NON-SLIP antislippery magnetic tip

EGA

INCH

COD.	A (inch)	B (inch)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (inch)	L2 (mm)			
55352	3/32	0,016	2,5	26	160	3	85	16		
55354	1/8	0,02	3		185	4				
55355					230	5				
55356	5/32	0,032	4		255	6				
55357				34	405	12	105	8		
55358					255	6				
55359	7/32	0,04	5,5		405	12				
55360	1/4		6,5	36	265	6	115	6		
55361	5/16	0,046	8	40	305	7	130			


 **DIN ISO 2380** | Registered model



1000V MM

COD.	A (mm)	B (mm)	Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)			
76620	2,5	0,4				160	75				
76621	3	0,5	4,4	6,1	26	185	100	85	16		
76734	3,5	0,6									
76622	4	0,8	5,4	7		230	125				
76623					34			105	8		
76624	5,5	1	6,4	8,8		255	150				
76625	6,5		8,4	11	36	265		115			
76626	8	1,2	9,4	12,3	40	305	175	130	6		
76627	10	1,6	11,4	15		330	200				


 **1000V** | **DIN ISO 2380** | **IEC 60900** | Registered model



1000V INCH

COD.	A (inch)	B (inch)	Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (inch)	L2 (mm)			
75063	3/32	0,016	4,4	6,1	26	160	3	85	16		
75064	1/8	0,02				185	4				
75065	5/32	0,032	5,4	7		230	5				
75066					34			105	8		
75067	7/32	0,04	6,4	8,8		255	6				
75068	1/4		8,4	11	36	265		115			
75069	5/16	0,046	9,4	12,3	40	305	7		6		
75081	25/64	0,063	11,4	15		330	8	130			


 **1000V** | **DIN ISO 2380** | **IEC 60900** | Registered model



ULTRA SLIM

COD.	A (mm)	B (mm)	Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)			
76074	3.5	0.6	3.5	6.5	26	160	75	85	16		
76075	4	0.8	4	7		205	100				
76076	5.5	1	5.5	8.5	34	230	125	105	8		
76077	6.5	1.2	6.5	9.5	36	265	150	150	6		

 **1000V** | **IEC 60900** | **DIN ISO 2380** | Registered model



NON-SLIP antislippery magnetic tip

EGA

PHILLIPS®*

COD.		Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66438	PH-0	3	26	145	60	85	16		
67562				200	200				
66439	PH-1	5	34	205	100	105	8		
66437				405	300				
66440	PH-2	6	36	240	125	115	6		
66443				415	300				
66441	PH-3	8	40	280	150	130			
66442	PH-4	10		330	200				

 | DIN ISO 8764 | Registered model

COD.		HEX 1 (mm)	HEX 2 (mm)	Ø 1 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66444	PH-1	5	8	34	205	100	105	8		
66445	PH-2	6	11	36	240	125	115			
66446	PH-3	8		280	150					
66447	PH-4	10	16	40	330	200	130	6		

 | DIN ISO 8764 | Registered model

FEATURES

Hexagonal

1000V

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)			
76628	PH-0	4,4	5	26	145	60	85	16		
76738	PH-1	6,4	7,6	34	185	80	105	8		
76629					205	100				
76630	PH-2	7,4	9,6	36	240	125	115			
76631	PH-3	9,4	12,3	40	280	150	130	6		
76632	PH-4				330	200				

 | DIN ISO 8764 | IEC 60900 | Registered model

ULTRA SLIM

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
76078	PH-1	5	7,9	34	230	125	108		-
76079					240		115		






 | IEC 60900 | DIN ISO 2380 | Registered model

SLOTTED-PHILIPS®* FOR TERMINAL SCREWS

1000V

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
79163		PH-1	6,4	7,6	34	205	100	105	8
79164		PH-2	7,4	9,6	36	240	125	115	6

 | IEC 60900 | Registered model



*For screws PHILLIPS® (Phillips Screw Company registered trademark)

EGA

POZIDRIV®*

COD.		Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66456	PZ-0	3	26	145	60	85	16		
66457	PZ-1	5	34	205	100	105	8		
66472				405	300				
66458	PZ-2	6	36	240	125	115			
66473				415	300		6		
66459	PZ-3	8		280	150	130			
66460	PZ-4	10	40	330	200				

 **DIN ISO 8764** | Registered model

COD.		HEX 1 (mm)	HEX 2 (mm)	Ø 1 (mm)	L (mm)	L1 (mm)	L2 (mm)		
66462	PZ-1	5	8	34	205	100	105	8	
66463	PZ-2	6		36	240	125	115		
66464	PZ-3	8	11		278	150		6	
66465	PZ-4	10	16	40	328	200	128		

 **DIN ISO 8764** | Registered model




FEATURES

Hexagonal

1000V

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
76633	PZ-0	4,4	5	26	145	60	85	16	
76634	PZ-1	6,4	7,6	34	205	100	105	8	
76635	PZ-2	7,4	9,6	36	240	125	115		
76636	PZ-3	9,4	12,3	40	280	150	130	6	
76637	PZ-4				330	200			


 **1000V** | **DIN ISO 8764** | **IEC 60900** | Registered model



ULTRA SLIM

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
76080	PZ-1	5	8	34	230	125	105	8	
76081	PZ-2	6	9	36	260		115	6	

 **1000V** | **IEC 60900** | **DIN ISO 2380** | Registered model




SLOTTED-POZIDRIV®* FOR TERMINAL SCREWS

1000V

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
79165	PZ-1	6,4	7,6	34	205	100	105	8	
79166	PZ-2	7,4	9,6	36	240	125	115	6	

 **1000V** | **IEC 60900** | Registered model



* For screws POZIDRIV® (European Ind. Serv. Ltd. registered trademark)

EGA

TORX®*

COD.		Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66474	T-6			135	50				
66475	T-7								
66476	T-8	3	26			85			●
66477	T-9			160	75		16		
66478	T-10								
66479	T-15	4		180				●	
66480	T-20		34	205	100	105			●
66481	T-25	5					8		
66482	T-27			220	115				
66483	T-30	6	36	240	125	115			●
66484	T-40	7		255					
66485	T-45	8	40	280	150	130	6		-
66486	T-50	10		305	175				

● Registered model

1000V




COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)			
76638	T-6		8		135	50				
76639	T-7									
76640	T-8	4,4		26			85		●	
76641	T-9		5		160	75		16		
76642	T-10								●	
76643	T-15				180					
76644	T-20	5,8	8		205	100	105			●
76645	T-25	6,4		34						
76646	T-27		9,6		220	115		8		
76647	T-30	7,4		36	240	125	115			
76648	T-40	8,7			255					-
76649	T-45	9,4	12,3	40	280	150	128	6	●	
76650	T-50	11,4	15		305	175				

● Registered model

TAMPER TORX®*

COD.		Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66487	TT-6			135	50				
66488	TT-7								
66489	TT-8	3							●
66490	TT-9		26			85	16		
66491	TT-10			160	75				
66492	TT-15	4						●	
66493	TT-20			185	100				
66494	TT-25	5	34	205		105			
66495	TT-27			220	115		8		
66496	TT-30	6	36	240	125	115			-
66497	TT-40	7		255					
66498	TT-45	8	40	280	150	130	6		-
66499	TT-50	10		305	175				

● Registered model




*For screws TORX® (Acument Intellectual Properties, LLC, Troy, Mich., US registered trademark)

EGA

1000V

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
75037	TT-6		8		135	50			
75038	TT-7								
75039	TT-8	4,4		26			85		
75040	TT-9		5		160	75		16	
75041	TT-10								
75042	TT-15				180				
75043	TT-20	5,8	8						
75044	TT-25			34	205	100	105		
75045	TT-27	6,4			220	115		8	
75046	TT-30	7,4	9,6		240	125	115		
75047	TT-40	8,7			255				
75048	TT-45	9,4	12,3	40	280	150	128	6	
75049	TT-50	11,4	15		305	175			

  1000V | IEC 60900 | Registered model




BALL TIP

MM

COD.	HEX 1 (mm)	Ø 1 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66501	2,5		160	75				
66502	3	26			85	16		
66503	4		185	100				
66504	5	34	205		105	8		
66505	6	36	230	125				
66506	8	40	280	150	130	6	-	
66507	10							


  Registered model



INCH

COD.	HEX 1 (inch)	Ø 1 (mm)	L (mm)	L1 (inch)	L2 (mm)			
55364	1/8		160	3				
55365	5/32	26	185	4	85	16		
55362	13/64	34	205		105	8		
55368	5/16							
55369	25/64	40	280	6	130	6	-	

  Registered model




HEXAGONAL ALLEN

1000V MM

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
74710	2,5								
74711	3	4,4	6	26	160	75	85	16	
74712	4	5,8	8		185	100		8	
74713	5	6,4		34	205		105		
74714	6	7,8	11,2		230	125			
74715	8	9,8	13,4	40	280	150	130	6	-

  1000V | ICE 60900 | Registered model




EGA

1000V INCH

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (inch)	L2 (mm)		
75083	1/8	4,4	6	26	160	3	85	16	
75084	5/32	5,8	8	34	185	4	105	8	•
75131	13/64	6,4	8	34	205	4	105	8	
75097	5/16	9,8	13,4	40	280	6	130	6	-


 **1000V** | ICE 60900 | Registered model



ROBERTSON

COD.		AF (mm)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)			
66530	1	2,4	4	26	185	100	85	16		
66531	2	2,8	5	34	230	125	105	8	•	•
66532	3	3,4	6	36	265	150	115	6		•

 | Registered model




STUBBY ELECTRICIAN

MM

COD.	A (mm)	B (mm)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)		
66529	4	0,8	4						
66525	5,5	1,2	5,5	40	85	25	60	20	•
66538	6,5		6,5						


 | DIN ISO 2380 | Registered model



INCH

COD.	A (inch)	B (inch)	Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (inch)	L2 (mm)		
55371	7/32	0,046	5,5	40	85	1	60	20	


 | DIN ISO 2380 | Registered model



STUBBY PHILLIPS®*

COD.		Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)		
67192	PH-1	5	40	85	25	60	20	
66526	PH-2	6						


 | DIN ISO 8764 | Registered model



STUBBY POZIDRIV®*

COD.		Ø 1 (mm)	Ø 2 (mm)	L (mm)	L1 (mm)	L2 (mm)		
67193	PZ-1	5	40	85	25	60	20	
66527	PZ-2	6						

 | DIN ISO 8764 | Registered model



*For screws PHILLIPS® (Phillips Screw Company registered trademark)
*For screws POZIDRIV® (European Ind. Serv. Ltd. registered trademark)


EGA

SOCKET SCREWDRIVER

MM

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
66510	4	8							
66511	5	8,5	5	34	255	150	105	8	
66512	5,5								
66513	6	10			275	160			
66509	6,5		6	36			115		
66514	7	11			290				
66515	8	14							•
66516	9		8					6	
66517	10	15							
66518	11	17		40	305	175	130		
66519	12		9						
66520	13	19							
66521	14	20							


 Registered model



INCH

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (inch)	L2 (mm)		
55373	5/32	8							
55374	3/16	8,5	5	34	255	6	105	8	
55375	7/32								•
55376	1/4	10	6	36	275		115		
55378	5/16		8						
55379	11/32	14	7						
55372	3/8								
55380	25/64	15	8	40	305	7	130	6	
55385	7/16	20							
55382	15/32	17	9						
55383	1/2	19	7						


 Registered model



1000V MM

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (mm)	L2 (mm)		
74698	4								
74699	5	11	7,5	34	255	150	105	8	
74700	5,5								
74701	6	12,5	8,5	36	275	160	115		
74702	7				290				
74703	8								
74704	9	16	10,5						
74705	10							6	
74706	11			40	305	175	130		
74707	12	19							
74708	13		11,5						
74709	14	21							


  1000V | IEC 60900 | Registered model



EGA

1000V INCH

COD.		Ø 1 (mm)	Ø 2 (mm)	Ø 3 (mm)	L (mm)	L1 (inch)	L2 (mm)		
75132	5/32								
74984	3/16	11	7,5	34	255	6	105	8	
75133	7/32								
74985	1/4	12,5	8,5	36	275		115		
74986	5/16								
74987	3/8	16	10,5						•
75136	25/64			40	305	7	130	6	
74988	7/16	19							
75138	15/32		11,5						
74989	1/2	21							



  1000V | IEC 60900 | Registered model

1000V MM

COD.						
74664	9	11	130	115	6	•
74665	10					



  1000V | IEC 60900



EGA

DISPLAYS AND SETS

1000V 4 PCS.



COD.	PCS.
76677	4

PCS.	COD.	PCS.
1	76628	PH0
	76629	PH1
	76630	PH2
	76631	PH3

COD.	PCS.
76665	4

PCS.	COD.	PCS.
1	76633	PZ0
	76634	PZ1
	76635	PZ2
	76636	PZ3

5 PCS.



COD.	PCS.
68487	5

PCS.	COD.	PCS.
1	66422	3 x 100 mm
	66423	4 x 125 mm
	66425	5,5 x 150 mm
	66439	PH1
	66440	PH2

COD.	PCS.
55508	5

PCS.	COD.	PCS.
1	66420	2,5 x 75 mm
	66422	3 x 100 mm
	66423	4 x 125 mm
	66425	5,5 x 150 mm
	66427	8 x 175 mm

COD.	PCS.
55511	5

PCS.	COD.	PCS.
1	66438	PH0
	66439	PH1
	66440	PH2
	66441	PH3
	66442	PH4

COD.	PCS.
55514	5

PCS.	COD.	PCS.
1	66456	PZ0
	66457	PZ1
	66458	PZ2
	66459	PZ3
	66460	PZ4

1000V 5 PCS.



COD.	PCS.
76668	5

PCS.	COD.	PCS.
1	76621	3 x 100 mm
	76622	4 x 125 mm
	76624	5,5 x 150 mm
	76625	6,5 x 150 mm
	76626	8 x 175 mm

COD.	PCS.
76911	5

PCS.	COD.	PCS.
1	76621	3 x 100 mm
	76622	4 x 125 mm
	76624	5,5 x 150 mm
	76634	PZ1
	76635	PZ2

COD.	PCS.
76917	5

PCS.	COD.	PCS.
1	76628	PH0
	76629	PH1
	76630	PH2
	76631	PH3
	76632	PH4

6 PCS.



COD.	PCS.
68488	6

PCS.	COD.	PCS.
1	66420	2,5 x 75 mm
	66421	3 x 100 mm
	66423	4 x 125 mm
	66425	5,5 x 150 mm
	66439	PH1
	66440	PH2

COD.	PCS.
55502	6

PCS.	COD.	PCS.
1	66400	3 x 80 mm
	66401	4 x 100 mm
	66403	5,5 x 125 mm
	66405	6,5 x 150 mm
	66407	8 x 200 mm
	66408	10 x 200 mm

COD.	PCS.
55520	6

PCS.	COD.	PCS.
1	66401	4 x 100 mm
	66402	5,5 x 100 mm
	66404	6,5 x 125 mm
	66457	PZ1
	66458	PZ2
	66459	PZ3

EGA

COD.	PCS.
55523	6

PCS.	COD.	PCS.
1	66401	4 x 100 mm
	66402	5,5 x 100 mm
	66405	6,5 x 150 mm
	66439	PH1
	66440	PH2
	66441	PH3

1000V 6 PCS.



COD.	PCS.
76671	6

PCS.	COD.	PCS.
1	76620	2,5 x 75 mm
	76621	3 x 100 mm
	76622	4 x 125 mm
	76624	5,5 x 150 mm
	76625	6,5 x 150 mm
	76626	8 x 175 mm

COD.	PCS.
76902	6

PCS.	COD.	PCS.
1	76621	3 x 100 mm
	76622	4 x 125 mm
	76624	5,5 x 150 mm
	76628	PH0
	76629	PH1
	76630	PH2

COD.	PCS.
76923	6

PCS.	COD.	PCS.
1	76620	2,5 x 75 mm
	76621	3 x 100 mm
	76622	4 x 125 mm
	76623	5,5 x 125 mm
	76629	PH1
	76630	PH2

COD.	PCS.
76929	6

PCS.	COD.	PCS.
1	76621	3 x 100 mm
	76622	4 x 125 mm
	76625	6,5 x 150 mm
	76629	PH1
	76630	PH2
	76631	PH3

COD.	PCS.
76935	6

PCS.	COD.	PCS.
1	76621	3 x 100 mm
	76622	4 x 125 mm
	76625	6,5 x 150 mm
	76633	PZ0
	76634	PZ1
	76635	PZ2

COD.	PCS.
76932	6

PCS.	COD.	PCS.
1	76640	T8
	76641	T9
	76642	T10
	76643	T15
	76644	T20
	76645	T25

COD.	PCS.
76926	6

PCS.	COD.	PCS.
1	74701	6 mm
	74702	7 mm
	74703	8 mm
	74704	9 mm
	74705	10 mm
	74708	13 mm

7 PCS.



COD.	PCS.
55526	7

PCS.	COD.	PCS.
1	66474	T6
	66476	T8
	66478	T10
	66479	T15
	66480	T20
	66481	T25
	66483	T30

COD.	PCS.
55529	7

PCS.	COD.	PCS.
1	66478	T10
	66479	T15
	66480	T20
	66481	T25
	66482	T27
	66483	T30
	66484	T40

1000V 7 PCS.



COD.	PCS.
76938	7

PCS.	COD.	PCS.
1	74699	5 mm
	74700	5,5 mm
	74701	6 mm
	74702	7 mm
	74703	8 mm
	74705	10 mm
	74708	13 mm

EGA

8 PCS.



COD.	PCS.
68489	8

PCS.	COD. PCS.
1	66421 3 x 100 mm
	66423 4 x 125 mm
	66403 5,5 x 125 mm
	66405 6,5 x 150 mm
	66438 PH0
	66439 PH1
	66457 PZ1
	66458 PZ2

COD.	PCS.
55505	8

PCS.	COD. PCS.
1	66400 3 x 80 mm
	66401 4 x 100 mm
	66402 5,5 x 100 mm
	66403 5,5 x 125 mm
	66404 6,5 x 125 mm
	66406 8 x 150 mm
	66407 8 x 200 mm
	66408 10 x 200 mm

COD.	PCS.
55517	8

PCS.	COD. PCS.
1	66400 3 x 80 mm
	66401 4 x 100 mm
	66403 5,5 x 125 mm
	66405 6,5 x 150 mm
	66438 PH0
	66439 PH1
	66440 PH2
	66441 PH3

1000V 8 PCS.



COD.	PCS.
76674	8

PCS.	COD. PCS.
1	76621 3 x 100 mm
	76622 4 x 125 mm
	76624 5,5 x 150 mm
	76625 6,5 x 150 mm
	76629 PH1
	76630 PH2
	76634 PZ1
	76635 PZ2

COD.	PCS.
76920	8

PCS.	COD. PCS.
1	76620 2,5 x 75 mm
	76622 4 x 125 mm
	76623 5,5 x 125 mm
	76625 6,5 x 150 mm
	76628 PH0
	76629 PH1
	76630 PH2
	76631 PH3

COD.	PCS.
76941	8

PCS.	COD. PCS.
1	76620 2,5 x 75 mm
	76621 3 x 100 mm
	76622 4 x 125 mm
	76625 6,5 x 150 mm
	76628 PH0
	76629 PH1
	76630 PH2
	76631 PH3

COD.	PCS.
76908	8

PCS.	COD. PCS.
1	76620 2,5 x 75 mm
	76621 3 x 100 mm
	76622 4 x 125 mm
	76624 5,5 x 150 mm
	76625 6,5 x 150 mm
	76633 PZ0
	76634 PZ1
	76635 PZ2

COD.	PCS.
76905	8

PCS.	COD. PCS.
1	76621 3 x 100 mm
	76622 4 x 125 mm
	76624 5,5 x 150 mm
	76625 6,5 x 150 mm
	76629 PH1
	76630 PH2
	76634 PZ1
	76635 PZ2

COD.	PCS.
76914	8

PCS.	COD. PCS.
1	76628 PH0
	76629 PH1
	76630 PH2
	76631 PH3
	76633 PZ0
	76634 PZ1
	76635 PZ2
	76636 PZ3

EGA

9 PCS.



COD.	PCS.
56029	9

PCS.	COD. PCS.
1	55373 5/32"
	55374 3/16"
	55375 7/32"
	55376 1/4"
	55378 5/16"
	55379 11/32"
	55380 25/64"
	55382 15/32"
	55383 1/2"



1000V 10 PCS.



COD.	PCS.
79468	10

PCS.	COD. PCS.
1	75132 5/32"
	74984 3/16"
	75133 7/32"
	74985 1/4"
	74986 5/16"
	74987 3/8"
	75136 25/64"
	74988 7/16"
	75138 15/32"
	74989 1/2"



10 PCS.



COD.	PCS.
55991	10

PCS.	COD. PCS.
1	66400 3 x 80 mm
	66401 4 x 100 mm
	66402 5,5 x 100 mm
	66404 6,5 x 125 mm
	66406 8 x 150 mm
	66407 8 x 200 mm
	66408 10 x 200 mm
	66409 12 x 250 mm
	66449 13 x 250 mm
	66410 14 x 250 mm



12 PCS.



COD.	PCS.
55996	12

PCS.	COD. PCS.
1	66488 TT7
	66489 TT8
	66490 TT9
	66491 TT10
	66492 TT15
	66493 TT20
	66494 TT25
	66495 TT27
	66496 TT30
	66497 TT40
	66498 TT45
	66499 TT50




COD.	PCS.
55997	12

PCS.	COD. PCS.
1	66510 4 mm
	66511 5 mm
	66512 5,5 mm
	66513 6 mm
	66514 7 mm
	66515 8 mm
	66516 9 mm
	66517 10 mm
	66518 11 mm
	66519 12 mm
	66520 13 mm
	66521 14 mm



1000V 12 PCS.



COD.	PCS.
79466	12

PCS.	COD. PCS.
1	75038 TT7
	75039 TT8
	75040 TT9
	75041 TT10
	75042 TT15
	75043 TT20
	75044 TT25
	75045 TT27
	75046 TT30
	75047 TT40
	75048 TT45
	75049 TT50



COD.	PCS.
79467	12

PCS.	COD. PCS.
1	74698 4 mm
	74699 5 mm
	74700 5,5 mm
	74701 6 mm
	74702 7 mm
	74703 8 mm
	74704 9 mm
	74705 10 mm
	74706 11 mm
	74707 12 mm
	74708 13 mm
	74709 14 mm



EGA

13 PCS.



COD.	PCS.
56028	13

PCS.	COD.	PCS.
1	66474	T6
	66475	T7
	66476	T8
	66477	T9
	66478	T10
	66479	T15
	66480	T20
	66481	T25
	66482	T27
	66483	T30
	66484	T40
	66485	T45
	66486	T50



1000V 13 PCS.



COD.	PCS.
79465	13

PCS.	COD.	PCS.
1	76638	T6
	76639	T7
	76640	T8
	76641	T9
	76642	T10
	76643	T15
	76644	T20
	76645	T25
	76646	T27
	76647	T30
	76648	T40
	76649	T45
	76650	T50



150 PCS.



COD.	PCS.
66540	150

PCS.	COD.	PCS.
10	66402	5,5 x 100 mm
	66404	6,5 x 125 mm
	66406	8 x 150 mm
	66421	3 x 60 mm
	66422	3 x 100 mm
	66423	4 x 125 mm
	66425	5,5 x 150 mm
	66426	6,5 x 150 mm
	76621	3 x 100 mm
	66438	PH0
5	66439	PH1
	66440	PH2
	66456	PZ0
	66457	PZ1
	66458	PZ2



56 PCS.



COD.	PCS.
66541	56

PCS.	COD.	PCS.
6	66402	5,5 x 100 mm
	66404	6,5 x 125 mm
	66406	8 x 150 mm
5	66423	4 x 125 mm
	66425	5,5 x 150 mm
	76622	4 x 125 mm
6	66439	PH1
	66440	PH2
	66457	PZ1
5	66458	PZ2

